
FIG. 1






FIG. 3





FIG. 4




5/27

FIG. 5

MEASUREMENT ORDER	INPUT/ OUTPUT PORT 1	INPUT/ OUTPUT PORT 2	INPUT/ OUTPUT PORT 3	SELECTED CHANNEL
1	0	0	0	Sensor 1
2	Û	0	1	Sensor 2
3	0	1	0	Sensor 3
4	1	0	0	Sensor 4
5	1	0	1	Sensor 5

FIG. 6



FROM: US 2009-0137895 A1





FIG. 8








FIG. 10





FIG. 11



11/27





FIG. 13



12/27






FIG. 15



UNI-BIOTECH CANCER SCANNER






FIG. 18







FIG. 19



C)-1 (Group 1 - 21 Mice)
injection after 7 Days




FIG. 20



(2-4 (2-20) 2 - 84 Mood
(3-4 (2-20) 2 - 84 Mood
(3-20) 4 Mood
(3-20) 4 Mood
(3-20) 4 Mood





FIG. 21



GJ-5 (Group J - #5 Mice)
Baperion alter 7 Days
Broult (Cascer Signal)





FIG. 22



(4.3) (Group 4.43 March - Injection of the 7 Days.
** Security Convert Support
** 12 (4) (4)





FIG. 23



(3)-24Grap (-92 Mee)
(4) Grap (-20 Grap






FIG. 24



CO-3 (Crossy) (** #8 Micro)
Majorina altor 7 Days
<






FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34






FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41

